



Frontier Crew Cab SL shown in Super Black.

2011 NISSAN FRONTIER®

REFUSES TO COMPROMISE. Forge your way with an efficient mid-size body hugging a fully boxed ladder frame. 261 hp and 281 lb-ft of grunt as your guide. Single-minded ruggedness married to advanced technology. A spray-on bedliner when the catch of the day is a 400-lb. boulder – tied down with Utili-track™ to make sure the rock doesn't roll. 6,500-lb. towing capacity to handle the toys.¹ Bluetooth® to handle the calls.² Just load up the Rockford Fosgate with 1,000 songs and aim for the horizon. You'll get there.

¹ See Nissan Towing Guide and Owner's Manual for proper use. ² Availability of specific features is dependent upon the phone's Bluetooth® support. Please refer to your phone owner's manual for details. Cell phone not included. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Nissan is under license.



SEVEN RUGGED MODELS TO CHOOSE FROM.



S: KING CAB AND CREW CAB



SV: KING CAB AND CREW CAB



PRO-4X: KING CAB AND CREW CAB



SL: CREW CAB

FEATURES

| S | SV | SV V6 | PRO-4X | SL |
|------------|---------------|------------|------------|------------|
| 4x2 4x4 | 4-CYL. 4x2 | 4x2 4x4 | 4x2 4x4 | 4x2 4x4 |

| | S | SV | SV V6 | PRO-4X | SL |
|---|---|----|-------|--------|----|
| EXTERIOR | | | | | |
| Automatic on/off headlights | | | | | |
| Fog lights | | | | | |
| Roof rack with crossbars | | | | LP | |
| Step rails | | | | | |
| Front tow hook (4x4 only) | 1 | | | | |
| Splash guards (PRO-4X 4x2 and all 4x4 models) | 1 | | | | |
| Upper body-color/lower argent front bumper and chrome rear bumper | | | | | |
| Chrome front and rear bumpers | | | | | |
| Body-color front and rear bumpers | | | | | |
| Chrome grille | | | | | |
| Black door handles and outside mirrors | | | | | |
| Body-color door handles and outside mirrors | | | | | |
| Chrome door handles and outside mirrors | | | | | |
| Dual power outside mirrors | | | | | |
| Heated outside mirrors | | | | LP | |
| Body-color side moldings | | | | | |
| Long Bed | | | 1 | | |
| Utili-track™ channel system with four tie-down cleats | | | PU | | |
| Factory-applied spray-on bedliner | | | PU | | |
| Bed rail caps | | | | | |
| Locking tailgate and cargo bed light | | | | | |
| Power sliding glass moonroof with one-touch open/close | | | | LP | M |
| Sliding rear window (not available on S) and rear privacy glass | | | 2 | 2 | |
| AUDIO | | | | | |
| AM/FM/CD audio system (standard on S Crew Cab) | P | | | | |
| AM/FM/in-dash 6-CD audio system | | | PU | 2 | |
| Rockford Fosgate-powered audio system with AM/FM/in-dash 6-CD changer | | | | 1 | |
| Steering-wheel-mounted audio controls | | | PU | | |
| MP3/WMA CD playback capability and auxiliary audio input jack ³ | | | PU | | |
| 4 speakers | 2 | | 2 | | |
| 6 speakers (standard on SV V6 Crew Cab) | 1 | | PU | 2 | |
| 10 speakers, including subwoofers | | | | 1 | |
| XM® Satellite Radio ^{4,5} | | | PU | | |
| INTERIOR | | | | | |
| Bluetooth® Hands-free Phone System | | | PU | | |
| Air conditioning (standard on S Crew Cab) | P | | | | |
| Power door locks and windows with driver's window one-touch auto-down | | | | | |
| Remote keyless entry | | | | | |
| Cruise control | | | | | |
| HomeLink Universal Transceiver | | | | | |
| Auto-dimming rearview mirror, digital compass and outside temperature display | | | PU | | |
| Front map lights | | | | | |
| Voltage and oil pressure gauges | 1 | | | | |
| Multi-functional trip computer | | | | | |
| Dual sun visors with extenders and dual visor vanity mirrors | 1 | | | | |
| Tilt steering wheel column | 1 | | | | |
| First-aid kit | | | | | |

| | S | SV | SV V6 | PRO-4X | SL |
|---|---|----|-------|--------|----|
| SEATING/APPOINTMENTS | | | | | |
| 8-way manual driver's seat with adjustable lumbar support | | | | | |
| 8-way power adjustable driver's seat with adjustable lumbar support | | | | LP | |
| 4-way power adjustable front-passenger's seat | | | | LP | |
| Fold-flat front-passenger's seat (not available with leather) | | | | | |
| Heated front seats | | | | LP | |
| Forward-facing rear flip-up seats | 2 | 2 | 2 | 2 | |
| 60/40 Split flip-up rear bench seat | | | | 1 | 1 |
| Rear fold-down center armrest | | | | LP | |
| Cloth seat trim | | | | | |
| Leather-appointed seats | | | | LP | |
| PRO-4X cloth seat trim | | | | | |
| PRO-4X embroidered leather-appointed seats | | | | LP | |
| White-faced gauges and red stitching (steering wheel and shifter) | | | | | |
| Leather-wrapped steering wheel | | | | | |
| Second-row under-seat storage | | | | | |
| Eight beverage holders and front and rear door storage pockets | | | | | |
| Overhead sunglasses storage | | | PU | | |
| SAFETY/SECURITY | | | | | |
| Nissan Advanced Air Bag System with dual-stage supplemental front air bags with seat belt and occupant-classification sensors | | | | | |
| Driver and front-passenger seat-mounted side-impact supplemental air bags | | | | | |
| Roof-mounted curtain supplemental air bags for side-impact and rollover head protection for onboard occupants | | | | | |
| Vehicle Dynamic Control (VDC) ⁶ – not available on S and SV 4-cyl. | 1 | | | | |
| 3-point ALR/ELR passenger seat belt system (ELR for driver) | | | | | |
| Front-seat Active Head Restraints | | | | | |
| Front seat belts with pretensioners and load limiters | | | | | |
| LATCH System (Lower Anchors and Tethers for CHildren) | | | | | |
| Energy-absorbing steering column | | | | | |
| Zone Body construction with front and rear crumple zones | | | | | |
| Hood-buckling creases and energy-absorbing steering column | | | | | |
| Pipe-style steel side-door guard beams | | | | | |
| Tire Pressure Monitoring System (TPMS) | | | | | |
| Vehicle Security System | | | | PU | |
| Nissan Vehicle Immobilizer System | | | | | |

- Standard
- Optional
- P Part of S Preferred Package
- PU Part of SV V6 Premium Utility Package
- LP Part of PRO-4X Luxury Package
- M Part of SL Moonroof Package

¹ Crew Cab only. ² King Cab only. ³ Driving is serious business and requires your full attention. Do not operate any devices connected to the auxiliary audio input jack while driving. ⁴ XM Satellite Radio requires subscription sold separately after trial period. Governed by XM Customer Agreement at xmradio.com. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiguous United States and D.C. ©2010 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries. ⁵ Satellite radio not available on manual transmission PRO-4X King Cab models. ⁶ VDC, which should remain on when driving except when freeing the vehicle from mud or snow, cannot prevent accidents due to abrupt steering, carelessness, or dangerous driving techniques. Always drive safely. ® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

SPECIFICATIONS

| OFF-ROAD CAPABILITIES | KING CAB | CREW CAB | | | |
|---|----------------------------|---|---------------|---------------|---------------|
| Minimum running ground clearance at rear differential | 8.7"-10.1" | 9.8"-10.1" | | | |
| Angle of approach: V6 models – 4x2 (4x4) | 30.5° (31.5°) ¹ | 30.5° (31.5°) ¹ | | | |
| Angle of departure: V6 models – 4x2 (4x4) | 22.1° (22.6°) ² | 22.1° (22.6°) ² | | | |
| Ramp over angle: V6 models | 19.5°–20.6° | 19.5°–20.6° | | | |
| MAXIMUM TOWING CAPABILITIES (LBS.) ³ | KING CAB | CREW CAB | | | |
| 4-cylinder | 3,500 | — | | | |
| V6 – 4x2 (4x4) | 6,500 (6,300) | 6,300 (6,100) | | | |
| MAXIMUM PAYLOAD (LBS.) | S | SV 4-CYL. | SV V6 | PRO-4X | SL |
| King Cab – 4x2 (4x4) | | | | | |
| Manual transmission | 976 (N/A) | 950 (N/A) | 1,565 (1,399) | N/A (1,237) | — |
| Automatic transmission | 937 | 932 (N/A) | 1,449 (1,381) | 1,393 (1,217) | — |
| Crew Cab – 4x2 (4x4) | | | | | |
| Manual transmission | 1,462 (1,255) | — | 1,461 (1,255) | N/A (1,103) | — |
| Automatic transmission | 1,486 (1,390) | — | 1,486 (1,390) | 1,271 (1,083) | 1,355 (1,256) |
| Long Bed manual transmission | — | — | — | — | — |
| Long Bed automatic transmission | — | — | 1,393 (1,260) | — | 1,257 (1,124) |
| DIMENSIONS (INCHES) | KING CAB | CREW CAB | | | |
| Wheelbase | 125.9 | 125.9 (139.9 with Long Bed) | | | |
| Overall length | 205.5 | 205.5 (219.4 with Long Bed) | | | |
| Overall width | 72.8 (without mirrors) | 72.8 (without mirrors) | | | |
| Overall height | 68.7–69.7 | 70.1 (without roof rack; 73.9 with roof rack) | | | |
| Track width (front/rear) | 61.8/61.8 | 61.8/61.8 | | | |
| Cargo bed length | 73.3 | 59.5 (73.3 with Long Bed) | | | |
| Cargo bed width | 61.4 | 61.4 | | | |
| Cargo bed height | 18.0 | 18.0 | | | |
| Head room (front/rear) | 39.7/38.3 | 40.0/38.7 (without moonroof) | | | |
| Leg room (front/rear) | 42.4/25.4 | 42.4/33.6 | | | |
| Hip room (front/rear) | 55.8/55.0 | 55.6/58.0 | | | |
| Shoulder room (front/rear) | 58.3/54.9 | 58.3/58.3 | | | |
| CAPACITIES | KING CAB | CREW CAB | | | |
| Interior passenger volume (cu. ft.) | 87.7 | 101.1 | | | |
| Fuel tank (gals.) | 21.1 | 21.1 | | | |

ENGINE

QR25DE – 2.5-liter DOHC 16-valve 4-cylinder engine

Horsepower – 152 hp @ 5,200 rpm

Torque – 171 lb-ft @ 4,400 rpm

Emissions – Tier 2, Bin 5 (Fed); LEV2-ULEV (CA)

Continuously Variable Valve Timing Control System (CVTCS)

Nissan Direct Ignition System with platinum-tipped spark plugs

Electronic drive-by-wire throttle

Variable Intake System

VQ40DE – 4.0-liter DOHC 24-valve V6 engine

Horsepower – 261 hp @ 5,600 rpm

Torque – 281 lb-ft @ 4,000 rpm

Emissions – Tier 2, Bin 5 (Fed); LEV2-ULEV (CA)

Continuously Variable Valve Timing Control System (CVTCS)

Nissan Direct Ignition System with platinum-tipped spark plugs

Electronic drive-by-wire throttle

Variable Intake System

N/A = Not applicable. ¹ 32.6° on PRO-4X 4x4. ² 23.3° on PRO-4X 4x4. ³ 7-pin connector trailer wire harness and tow hitch receiver required. See Nissan Towing Guide and Owner's Manual for proper use.

DRIVETRAIN

5-speed manual transmission (S 4-cyl., SV 4-cyl.)

6-speed manual transmission (standard on S V6, SV V6; optional on PRO-4X KC 4x4)

5-speed automatic transmission (standard on PRO-4X, SL; optional on S 4-cyl., S V6, SV 4-cyl., and SV V6)

Optional: Switch-operated 2-speed transfer case (4x4 models only; not available on S 4-cyl., SV 4-cyl.)

Electronic locking rear differential (PRO-4X)

2-wheel Active Brake Limited Slip – ABLs – (S V6, SV V6, PRO-4X, SL)

4-wheel Active Brake Limited Slip – ABLs – (S V6, SV V6, PRO-4X, SL)

Clutch start/cancel (PRO-4X 4x4 manual transmission only)

Hill descent control and hill start assist (S V6, SV V6, PRO-4X, SL 4x4 automatic transmission models only)

SKID PLATES

Oil pan (PRO-4X)

Fuel tank (PRO-4X)

Transfer case (PRO-4X 4x4)

WHEELS AND TIRES

15" x 7.0" 6-spoke steel wheels (S)

16" x 7.0" 6-spoke steel wheels (S V6)

16" x 7.0" 5-spoke aluminum-alloy wheels (SV 4-cyl., SV V6)

16" x 7.0" 6-spoke aluminum-alloy wheels (PRO-4X)

18" x 7.5" 12-spoke aluminum-alloy wheels (SL)

P235/75/15 General Grabber™ all-season tires (S)

P265/70R16 BFGoodrich® Radial Long Trail T/A® tires (S V6, SV)

P265/75R16 BFGoodrich® Rugged Trail T/A® tires (PRO-4X)

P265/60R18 BFGoodrich® Radial Long Trail T/A® tires (SL)

Full-size spare tire

BRAKES

Front vented disc brakes/rear vented disc brakes

4-wheel Anti-lock Braking System (ABS)

Electronic Brake force Distribution (EBD)

SUSPENSION AND STEERING

Front: Independent double-wishbone with front stabilizer bar

Rear: Overslung multi-leaf with solid axle

Bilstein® off-road performance shock absorbers (PRO-4X)

Engine-speed-sensitive power steering

2011 EPA FUEL CONSUMPTION ESTIMATES (CITY/HWY)

| | 4-CYLINDER | V6 |
|-----------------|-------------|---------------|
| M/T – 4x2 (4x4) | 19/23 (N/A) | 16/20 (15/20) |
| A/T – 4x2 (4x4) | 17/22 (N/A) | 15/20 (14/19) |

Actual mileage may vary with driving conditions – use for comparison only.

™ General Grabber is a trademark of General Tire & Rubber Company.

® BFGoodrich is a registered trademark of Goodrich Corporation.

® Rugged Trail T/A and Long Trail T/A are registered trademarks of Uniroyal Goodrich Licensing Services, Inc.

® Bilstein is a registered trademark of ThyssenKrupp Bilstein GmbH.

PACKAGES

Package requirements and availability may vary. Please see your Nissan dealer for details.

S PREFERRED PACKAGE (S KING CAB ONLY)

AM/FM/CD audio system
 Air conditioning

SV PREMIUM UTILITY PACKAGE (SV V6 ONLY)

AM/FM/In-dash 6-CD audio system with auxiliary audio input jack
 MP3/WMA CD playback capability
 6 Speakers (King Cab only)
 Steering-wheel-mounted audio controls
 Bluetooth® Hands-free Phone System
 XM® Satellite Radio¹
 Auto-dimming rearview mirror, digital compass and outside temperature display
 Factory-applied spray-on bedliner
 Utili-track™ channel system with 4 tie-down cleats
 Overhead console with sunglasses storage
 Vehicle Security System
 In-cabin microfilter

PRO-4X LUXURY PACKAGE (CREW CAB ONLY)

Roof rack with crossbars
 Power sliding glass moonroof
 PRO-4X embroidered leather-appointed seats
 8-way power adjustable driver's seat
 4-way power adjustable front-passenger's seat
 Heated front seats and outside mirrors
 Rear fold-down center armrest

Fold-flat front-passenger's seat is deleted with this package.

SL MOONROOF PACKAGE

Power sliding glass moonroof



< A large, adaptable interior opens up a world of opportunities for you, your crew and your gear.


One of the most innovative and > flexible truck beds, featuring Nissan's exclusive Utili-track™ channel system.



WARRANTY

Every Nissan is backed by a 36-month/36,000-mile limited vehicle coverage and a 5-year/60,000-mile limited powertrain coverage. 2003-2010 Vehicles equipped with a Continuously Variable Transmission (CVT) also have a 10-year/120,000-mile CVT limited warranty extension. (For complete information, see your Nissan dealer and read the actual limited warranty.) For extra protection, you can also add Security+Plus®, the only extended service agreement approved by Nissan.

For more warranty information or questions on 2003-2010 vehicles equipped with a Continuously Variable Transmission please visit www.NissanAssist.com.



Frontier features a strong, > fully boxed frame boasting increased structural rigidity for improved dynamic performance.



< PRO-4X Frontier is the ultimate in off-road performance, featuring some of the most advanced off-road technology and hardware available.

¹ XM Satellite Radio requires subscription sold separately after trial period. Governed by XM Customer Agreement at xmradio.com. Fees and programming subject to change. Available only to those at least 18 years of age in the 48 contiguous United States and D.C. ©2010 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries. ® The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc., and any use of such marks by Nissan is under license.

All illustrations, photographs, and specifications are based on the latest product information available. Some vehicles shown with optional equipment. See the actual vehicle for complete accuracy. Availability and delivery times for particular models or equipment may vary. Nissan North America, Inc., reserves the right to make changes at any time, without prior notice, in prices, colors, materials, equipment, specifications, and models, and to discontinue models or equipment. Specifications, options, and accessories may differ in Hawaii, U.S. territories, and other countries. For additional information on availability, options, or accessories, see your Nissan dealer. The Nissan names, logos, product names, feature names, and slogans are trademarks owned by or licensed to Nissan Motor Co. Ltd. and/or its North American subsidiaries. **Tread Lightly!® Please. Always wear your seat belt, and please don't drink and drive.** © 2010 Nissan North America, Inc.